

Susquehanna Valley Central Schools
2019 Radon Study

Action level=4pCi/L

<u>BUILDING</u>	<u>ROOM</u>	<u>Results in pCi/L</u>
Brookside	Rm 14	0.6
	Rm 41	1
	Rm 42	0.5
	Rm 15	0.7
	Rm 15	1.2
	Rm 3	1.9
	Rm 8	0.6
	Rm 5	0.7
	Rm 4	1.4
	Rm 9	0.1
	Rm 7	0.1
	Rm 2	0.6
	Rm 2	0.7
	Café	0.8
	Café	0.7
	Rm 42	0.4
	Rm 19	5.2
	Rm 21	2.1
	Rm 12	0.1
	Rm 23	1.5
	Rm 26	2.7
	Library	0.6
	Library	0.7
	Rm 18	1
	Rm 24	3.6
	Rm 27	1.4
	Rm 16	1.1
	Rm 17	3.6
	Rm 25	1.4
	Rm 28	2.8
	Rm 22	1
	Rm 10	0.3
	Rm 1	3
	Music 1	0.4
	Music 2	0.3
	Rm 20	0.4
	Trip blank	0.1
	Rm 6	0.6
	Rm 13	0.2
	Rm 11	0.5

Susquehanna Valley Central Schools
2019 Radon Study

Action level=4pCi/L

<u>BUILDING</u>	<u>ROOM</u>	<u>Result in pCi/L</u>
Donnelly	Rm 5	0.7
	Trip blank	0.1
	Rm 6	0.3
	Rm 7	0.9
	Rm 3	0.9
	Café 1	1
	Café 2	1.1
	Rm 12	0.4
	Rm 19	0.8
	Rm 21	3.8
	Rm 13	1
	Rm 24	2
	Rm 24	1.7
	Rm 25	2.8
	Library	1.8
	Library	1.5
	Rm 10	0.2
	Rm 9	0.4
	Rm 1	1.8
	Rm 11	0.5
	Rm 23	1.7
	Rm 2	1.4
	Rm 26	2.1
	Rm 20	2.6
	Rm 8	0.8
	Rm 4	1.1
	Rm 22	2.8
	Rm 27	2.6

Susquehanna Valley Central Schools
2019 Radon Study

Action level = 4pCi/L

BUILDING	ROOM	Result in pCi/L
MS	Rm 113	2.8
	Library 1	1.6
	Library 2	1.5
	Rm 116	0.1
	Rm 106	1.6
	Rm 103	0.3
	Rm 118	1.4
	Rm 122	1.8
	Rm 104	0.5
	Café 1	0.3
	Café 2	0.5
	Rm 126	3.3
	Rm 102	0.7
	Rm 124	2.6
	Rm 123	0.5
	Rm 105	0.3
	Rm 115	1.4
	Rm 120	0.7
	Rm 117	1.6
	Rm 114	0.5
	Rm 109	0.5
	Rm 101	0.1
	Rm 127	1.3
	Rm 108	0.5
	Rm 121	0.3
	Rm 119	0.5
	Rm 110	0.6
	Rm 125	1
	Trip Blank	0.1
	Rm 107	2

	A	B	C
1	BUILDING	ROOM	Result in pCi/L
2			
3			
4			
5	HS	Rm 28	1.5
6		Rm 20	1.2
7		Rm 26	2
8		Rm 15	1.2
9		Rm 27	1.6
10		Rm 22	1.4
11		Rm 25	1.4
12		Library 1	1.2
13		Library 2	1.6
14		Liberty 31	0.6
15		Rm 16	0.8
16		Rm 37	1.8
17		Rm 35	0.9
18		Rm 23	1.6
19		Rm 17	0.1
20		Rm 41	0.1
21		Rm 23A	2.9
22		Café1	0.5
23		Café 2	0.5
24		Rm 30	0.1
25		Rm 36	1
26		Rm 18A/B	0.4
27		Rm 40	2.2
28		Rm 24	1
29		Rm 44	1.6
30		Rm 33	1.3
31		Rm 58	1.4
32		Rm 42	1.8
33		Rm 14	1.2
34		Band 57	1.2
35		Rm 45	1.7
36		Rm 48	1.1
37		Rm 6	2.3
38		Trip blank	0.1
39		Rm 1	1.2
40		Rm 13	1.7
41		Rm 46	0.7
42		Rm 47	1.2
43		Rm 4	1
44		Rm 1	1.6
45		Rm 12	1.8
46		Rm 3	0.8
47		Rm 29	1.4
48		Rm 7	2
49		Rm 34	2.6
50		Rm 43	0.1
51		Rm 21	1.3
52		Aud 1	1
53		Aud 2	0.8
54		Rm 19	0.4
55		Rm 2	1.4
56		Rm 52	2
57		Rm 5	0.7